



Republic of the Philippines

DEPARTMENT OF AGRICULTURE

Regional Field Office No. 12
CSA-1 Building, Zulueta Street
Koronadal City
Tel No./Fax No. (083)-520-0460

NOTICE TO PROCEED/DELIVER

THE PROPRIETOR

O-RRR Engineering Works
Lower Puting Bato, Brgy. Calumpang
General Santos City

Dear Sir/Madam:

Having entered into a **Negotiated Procurement** with the Department of Agriculture, Regional Field Office No. 12, Koronadal City, you are authorized to proceed the **supply, delivery and installation of Various Equipment for the Establishment of Village Type Feed Mill** with ITB Reference No. 3077409 in the amount of **One Million Five Hundred Ninety-One Thousand Nine Hundred Sixty-Eight Pesos (Php1,591,968.00)**, subject to the terms and conditions of the contract specifically the provision on Liquidated Damages (LD) as stipulated in RA 9184, with the following specifications, to wit:

**VARIOUS EQUIPMENT FOR THE ESTABLISHMENT OF VILLAGE TYPE
FEED MILL**

Specifications:

a. 2 units Vacuum Mechanical Dryer

Specifications:

- AMTEC TEST result should conform to PAES
- Load Capacity: 300 kg
- Equipped with indigenous fuelled heat exchanger type furnace, fire brick walled
- Made of combination materials; stainless steel (1.5 mm thick) & galvanized steel (1.5 mm thick)
- With dial type temperature gauge
- Powered by 3 Hp electric motor each, preferably 3 phase line
- With steam generator on top of heat exchanger furnace or separate steam generator fuelled by LPG or crude oil

b. 1 unit Mini Feed Mill

Specifications:

- Load Capacity: up to 200 kgs
- AMTEC TEST result should conform to PAES
- Portable type
- Manual loading and discharging
- Powered by 7.5 Hp electric motor, preferably 3 phase line
- Combination v-belt & roller drive

c. 1 unit Pellet Mill

Specifications:

- Rated Capacity: 200 to 300 kgs per hour
- All steel framing; individual electric motor drive , preferably 3 phase line
- Electrical wiring & accessories; panel switch board; with a total of 10 Hp
- Horizontal type Pellet Maker with 10" diameter x 4" width ring die
- Interchangeable ring dies and roller press: 1.5 mm, 3mm & 4 mm size pellets
- Extended mixer auger for steam cooking; adjustable heat time exposure
- V-belt & gear combination drive
- With built-in horizontal sleeve

d. 2 units Weighing Scale

Specifications:

- 10 kgs Spring Scale, min. 500 g precision scale

e. 1 unit Bag Closer

Specification:

- Sewing Speed up to 10 m per minute
- Material maximum thickness: 10mm
- Stitch type: single threads 101
- Thread type: 20count, 2x3 Polyester
- Stitch length: 7-8.5 mm
- Advancement with alternating motion
- Cutter semi-automatic
- Electrical supply: 220V
- Weight: 3 kg
- Size: 268mm x 160 mm x 330 mm

WORKMANSHIP AND FINISH

- Shall be free from manufacturing defects that may be detrimental to its operation.
- Shall be free from sharp edges and surfaces that may injure the operator/s.

WARRANTY FOR CONSTRUCTION AND DURABILITY

- The construction should be rigid and durable without major breakdown of its components.
- Warranty shall be provided for parts and services within one (1) year after the acceptance of the machines.
- Engine- at least One (1) year Warranty.
- Shall include on site testing and provide training to the authorized operator/s of the end user with regards to operation and maintenance.
- Shall be provided with fuel and oil during actual site testing and training.
- Shall provide regular maintenance service check within one (1) year after acceptance of the project.
- Shall be properly identified as:

"SOCKSARGEN Food Security Program with DA Logo"


Delivery site : **Prolife Farming Livelihood Association in Brgy. Katidtuan,
Kabacan, North Cotabato**

Delivery period : **On site/ within 50 calendar days**


Very truly yours,


AMALIA J. DATUKAN, MBA
Regional Executive Director

Conformed:


GRIE G. EDELOGA
Print Name and Signature
Date : 6/18/2015

Prepared by:


MONINA M. SALENDAB
Head, BAC Secretariat